Chemical Oceanography 2022



Dr. David K. Ryan

Department of Chemistry

University of Massachusetts Lowell
&

Intercampus of Marine Sciences Program

http://faculty.uml.edu/David_Ryan/84.653

Website of interest Re: H₂O

www.biology.arizona.edu/biochemistry/tutorials/c hemistry/page3.html

This website appears to have accurate information, however it is impossible for me to verify details or guarantee availability.

Website for Millero 2013

https://web.archive.org/web/20060908115424/http://fig.cox.miami.edu/~lfarmer/MSC215/MSC215.HTM

http://fig.cox.miami.edu/~lfarmer/MSC215/MSC215.HTM

Monterey Bay Aquarium Research Institute (MBARI)

www.mbari.org/chemsensor/pteo.htm

Water – Amazing Stuff





Chemical Oceanography


Physical Chemistry of Seawater (E&H Chap. 3)

- ♦ Seawater is 96.5 % H₂O
- ♦ Water unique substance & solvent
- **♦** Review structure
- Discuss selected unusual properties
- Consequences of water anomalies
- Phase diagrams

Molecular Structure of H₂O








"Ball & Stick"
Model

Electron
Density
Distribution

Space Filling Model


Periodic Table of the Elements

Rows = Periods
Columns = Groups or Families



Zoom in on O and its neighbors

Part of one period



Each can form compounds with hydrogen

Boiling Point Comparison





FIGURE 4.1 Deiling points of some and the total

FIGURE 4.1. Boiling points of compounds structurally similar to water.

Look at O and its relatives



Outer shell electronic Configuration is the same

Group or Family 6A

Boiling Point Comparison





Figure 3.2 in Emerson & Hedges

FIGURE 4.1. Boiling points of compounds structurally similar to water.

Hydrogen Bonding is key to anomalous properties of water






FIGURE 4.3. The water dipole.





FIGURE 4.4. The three-dimensional structure of the water molecule.


Dipole & Quadrapole Diagrams (Millero 2006) p. 125

Water dipole & quadrapole




Oxygen is shown in red, Hydrogen is shown in gray 8 Electrons are depicted as yellow 14


Yet another representation



Water Tetrahedron



The two non-bonded pairs of electrons on oxygen form the back two legs of the tetrahedron, but are not shown




Hydrogen bonding in liquid water is always present

However, H-bonds are constantly forming and breaking

It is a dynamic process that can be represented or modeled in several ways

See Millero (3rd ed) p 128–132 for models



Water
Clusters
Dynamically
Form, Break
and Re-form

Frank & Wen Flickering Cluster Model

Millero

TABLE 4.1 Comparison of Physical Properties of H_2O , MeOH, and n-Heptane Property H_2O MeOH n-Heptane

Property	H ₂ O	MeOH	n-Heptane
MW	18	32	100
Dipole moment (Debye's)	1.84	1.70	>0.2
Dielectric const.	80	24	1.97
Density (g cm ⁻³)	1.0	0.79	0.73
B.P. (°C)	100	65	98.4
M.P. (°C)	0	-98	-97
Specific heat (cal g-1 deg-1)	1.0	0.56	0.5
ΔH_{vap} (cal g ⁻¹)	540	263	76
ΔH_{fus} (cal g^{-1})	79	22	34
Surface tension (dynes cm ⁻¹)	73	23	25
Viscosity 20°C (poise)	0.01	0.006	0.005
Compressibility 25°C (atm ⁻¹)	4.57×10^{-11}	12.2×10^{-11}	14×10^{-11}

High Heat Capacity (C_p)

(Heat energy to raise 1 g of water 1 °C)

Prevents extreme ranges of temperature (temp buffering)

Allows heat transfer by water masses to be large

High Heat of Fusion $(\Delta H = 79 \text{ cal/g})$

(Heat energy for melting solid)

Absorption or release of latent heat results in high thermostatic effect

a.k.a. Enthalpy of Fusion (kJ/kg)


High Heat of Vaporization $(\Delta H = 540 \text{ cal/g})$

(Heat energy for evaporating liquid)

Highest of all liquids

Results in evaporative cooling and transfer of heat to atmosphere, thermostating

a.k.a. Enthalpy of Vaporization




Large Quantities of Heat are Absorbed & Released During Phase Changes

Thermal Expansion

(temperature of maximum density)

Waters with low or no salt content have maximum density above freezing points Ice floats



Simple Phase Diagram of Water

(Wiley 1999)

High Dielectric Constant

(highest of almost all substances)

Results in charge insulating power Important in dissolution of salts Important in hydration of ions

Relatively High Viscosity

(high for low molecular weight substance)

Important in wave and current formation

High Surface Tension

(highest of all substances)

Controls drop formation, important in waves and many surface properties

Important in cell physiology

Interfacial Tension creates appearance of a "skin" on surface

