Ocean & Geologic Sequestration of CO<sub>2</sub> with Particle Stabilized Emulsions for GHG Mitigation



Dr. David K. Ryan Department of Chemistry University of Massachusetts Lowell &

Intercampus Marine Sciences Graduate Program University of Massachusetts



http://faculty.uml.edu/David\_Ryan



# Acknowledgements

#### Coworkers


- Drs. Dan Golomb, Eugene Barry, Steve Pennell
- Students Peter Swett, Mike Woods, Huishan Duan, Jon Hedges

#### Funding

- U.S. Department of Energy
- Mass. Technology Transfer Center (MTTC)
- ARRA



# The Problem



#### The Greenhouse Effect



Some solar radiation is reflected by the Earth and the atmosphere.

Some of the infrared radiation passes through the atmosphere, and some is absorbed and re-emitted in all directions by greenhouse gas molecules. The effect of this is to warm the Earth's surface and the lower atmosphere.

Solar radiation passes through the clear atmosphere

SUN

ATMOSPHERE

EARTH

Most radiation is absorbed by the Earth's surface and warms it.

Infrared radiation is emitted from the Earth's surface.

Source: OSTP (w/o greenhouse avg. earth temp. ~ -25°C instead of +15°C with)



## The Answer

#### Or at least one answer

## CO<sub>2</sub> Sequestration



 Storing or permanently immobilizing CO<sub>2</sub> in some form to remove it from the atmosphere or prevent it from entering the atmosphere

- General schemes include
  - Capture and store
    - In geologic formations
    - In the deep ocean
  - Converting to Biomass (terrestrial or oceanic e.g. IRONEX program for ocean fertilization)



## CO<sub>2</sub> Emissions Can Be Reduced By Several Means (other answers)

- Conservation and efficiency improvements
- Substitute high carbon fuels (i.e. coal) with low carbon fuels (i.e. natural gas)
- Renewable energies
  - 1. Wind
  - 2. Solar (UMass Lowell Team Solar Decathlon)
  - 3. Biomass
  - 4. Geothermal
  - 5. Ocean thermal, ocean tides, ocean waves
- Nuclear energy


# CO<sub>2</sub> Emissions By Sector USA 2008



	Mt CO <sub>2</sub> /y	%
Electric power plants	2359	36
Transportation	1930	29
Residential	1220	19
Commercial	1075	16
	Total 6584	100

Source: U.S. Energy Information Administration, September 29, 2011

## Global Emissions of CO<sub>2</sub> for Large Stationary Sources








# How it Works



## CO<sub>2</sub> Capture Technologies

Ways of capturing CO<sub>2</sub> before it is released to the atmosphere:

- Chemical absorption
- Physical adsorption
- Coal gasification with physical adsorption
- Oxyfuel combustion







#### CO<sub>2</sub> Capture Technologies

Ways of capturing CO<sub>2</sub> before it is released to the atmosphere:

- Chemical absorption
- Physical adsorption
- Coal gasification with physical adsorption
- Oxyfuel combustion

3C (i.e., coal) +  $O_2$  +  $H_2O \rightarrow H_2$  + 3CO

ЮH

 $CH_4 + 2 O_2 \rightarrow CO_2 + 2 H_2O + energy$ 

 $CO + H_2O \rightarrow CO_2 + H_2$ 2  $H_2 + O_2 \rightarrow 2 H_2O(g) + heat$ 





# Then What ?

## CO<sub>2</sub> Sequestration

## **Geologic Sequestration**







## Problems with Scenarios for Ocean Sequestration of CO<sub>2</sub>

- High Costs exclusive of capture
- Proximity of Sources to Ocean
- Ecological Effects
  - Physical Impact of Immiscible Liquid
  - Chemical Impacts
    - pH
    - Carbonate hot spots
- Long Term Uncertainty
  - Chemical Effects
  - Lake Nyos Syndrome
- London Convention 1972





## Our Discovery

In 2001 we discovered how to make emulsions of liquid CO<sub>2</sub> and water stabilized by fine particles

## Some simple chemistry



 Immiscible liquids form two layers with an interfacial tension or force between them

> Interface or Meniscus

Water or Aqueous layer

Oil or Organic liquid layer

# Applying shear force or mixing creates a **dispersion**



Droplets of a dispersion quickly coalesce to larger & larger drops resulting in two layers once again



## Emulsions



 When an emulsifying agent is added to a two phase system, interfacial tension is greatly reduced allowing formation of <u>stable</u> dispersions or emulsions

 Emulsions can be either macroemulsions or microemulsions depending on droplet size

## Particle Stabilized Emulsions (also called Pickering Emulsions)



- Very fine particles can act as emulsifying agents, though more common emulsifiers are surfactants like soaps and detergents
- Emulsifying agents work by arranging themselves at the interface between liquids

Particles .

Dispersed Phase



## Particle Stabilized Emulsions



Immiscible liquids form an emulsion with fine particles System: dodecane (top), water, calcite and iodine for color



## Particle Stabilized Emulsions

- Hydrophilic particles form oil-in-water emulsions:
  - Calcite (CaCO<sub>3</sub>)
  - Pulverized sand (SiO<sub>2</sub>)
  - Lizardite & other minerals






#### Hydrophobic particles form

- water-in-oil emulsions:
  - Carbon black
  - Pulverized coal
  - Teflon particles





## Liquid CO<sub>2</sub>/Seawater/CaCO<sub>3</sub> Macroemulsion (a.k.a. Globulsion)




OWELL

~200 µm droplets (globules)



## The Grand Finale



Environ. Sci. Technol. 2007, 41, 4698-4704

## Ocean Sequestration of Carbon Dioxide: Modeling the Deep Ocean Release of a Dense Emulsion of Liquid CO<sub>2</sub>-in-Water Stabilized by Pulverized Limestone Particles

D. GOLOMB,\* S. PENNELL, D. RYAN, E. BARRY, AND P. SWETT

Departments of Environmental, Earth and Atmospheric Sciences, Mathematical Sciences, Chemistry, and Chemical Engineering, University of Massachusetts Lowell, Massachusetts 01854


See also Environ. Sci. Technol. 2004, 38, 4445-4450 Ind. Eng. Chem. Res. 2006, 45, 2728-2733



## What Next?

#### **Inverted Emulsions**






Water-in-Liquid CO<sub>2</sub> (W/C) emulsion stabilized by pulverized coal particles. 70% CO<sub>2</sub>(I)/30% H<sub>2</sub>O(I), 2% pulverized coal, 4 µm mean particle diameter.

## Dodecane/Water/Carbon Black Microemulsion (10-20 µm) for EOR







#### Dodecane

Carbon Black Coated Water Droplets








# Sinking Crude Oil Emulsion



Crude Oil (slick) on Seawater





Dense Crude Oil Emulsion sinks in seawater

Before Emulsion Formation Crude Oil on Seawater Dense Crude Oil Emulsion with Calcite