

Subject Index

A

accelerated life testing, 331
 acceptance region, 289, 294
 acceptance sampling, 228, 231
 accuracy, 427
 alternative hypothesis, 278, 289, 292
 one-sided alternative, 292, 365, 366
 two-sided alternative, 292, 355
 analysis of variance, 241, 400, 402–411,
 418–428, 433, 452–473, 492, 494,
 495 (*see also* one-way analysis of
 variance, randomized block ex-
 periment, two-way analysis of
 variance)
 analysis of variance table, 409, 410, 427,
 428, 465, 466, 472, 497
 Anderson, Richard B., 15
 approximation, *see* chi-square approxi-
 mation, Gaussian approximation
 associated, 98, 187
 association, 572, 579–586
 linear, *see* correlation coefficient
 assumptions, 13, 175, 176, 275, 280, 283,
 285, 293, 299, 300, 302, 308, 349,
 358, 360, 361, 363, 365, 384, 385,
 402, 405, 406, 408, 413, 416, 422–
 424, 428, 433, 459, 469, 498, 525,
 537, 544, 549 (*see also* equal-
 variance assumption)
 violation of assumptions, 431, 432,
 471
 average, *see* mean

B

backward regression analysis, 546
 balanced design, 452–454, 473
 not balanced, 478
 bar chart, graph, 39
 Bartlett's test, 490–494
 Bayes' rule, 188–191, 199

Bernoulli experiment, 219
 between-groups mean square, 405, 406,
 495
 bimodal, 46, 47
 binomial distribution, 214, 219–224,
 232, 257–259, 280, 281, 308, 314,
 331–337, 576–578, 592
 binomial experiment, 197, 214, 220
 bivariate normal (Gaussian)
 distribution, 525, 526, 528
 birth rate, 14, 47, 112, 113, 138–144,
 513–517
 block, *see* randomized block
 experiment
 block mean square, 420, 421
 Bonferroni method, 433
 for several tests of hypotheses, 400–
 402
 for several confidence intervals, 402,
 410, 411, 417, 493, 494
 borderline significance, 427 (*see also*
 statistical significance)
 Box, G. E. P., 231, 469, 473
 box graph, 51–53
 box plot or box-and-whisker plot, 48–
 51, 53, 114
 Brown, M. B., 495
 Brownlee, K. A., 525

C

calorie supply, 14, 34–36, 56, 112, 114,
 138–146, 513, 515
 case, 6
 categorical variable, 6, 7, 572–593
 censored observations, 331
 Central Limit Theorem, 256–260, 308,
 310, 351
 central tendency, or center, 4, 49, 53,
 72–80, 84, 308–337 (*see also*
 mean, median)

Chambers, John M., et al., 138
 chance, 175, 176 (*see also* probability)
 chi-square
 approximation, 413, 415, 416, 428,
 492, 574, 575, 581, 584, 593
 distribution, 378, 413, 414
 goodness-of-fit test, 572–576, 592
 test of association, 572, 579–586
 test of homogeneity, 372, 572, 583–
 586, 593
 test of independence, 572, 579–583,
 592
 child death rate, 14, 44–46
 classical statistics, 241, 308, 349, 357,
 402, 403, 418–420, 453, 454, 537,
 544
 Cleveland, William S., 51, 102, 106, 135,
 138, 144, 147
 Cochran's rule, 575, 581, 593
 coefficient of determination, 548
 combination, 215–218, 232
 completely randomized design, 453,
 454, 473
 computer package, *see* Minitab, Stata
 conditional probability, *see* probability
 confidence interval, 278, 286, 302, 337,
 378
 for difference between two means,
 large samples, 352–354
 for difference between two means or
 medians, nonparametric, 368,
 369
 for difference between two means, *t*
 distribution, 362
 for difference between two propor-
 tions, large samples, 354, 356,
 357
 for a mean, based on a *t* distribution,
 322
 for a mean, large sample, 311–313
 for a mean or median, based on a

confidence interval (*continued*)
 Wilcoxon signed rank distribution, 329, 330
 for a median, based on a binomial distribution, 334, 335
 for multiple comparisons, 410, 411, 417
 for a proportion, large sample, 315
 for ratio of two variances, 489, 490
 for a variance or standard deviation, 486, 487
 confidence level, 312, 322, 378
 Conover, W. J., 490, 495
 contingency table, *see* frequency table
 continuous random variable, *see* random variable
 continuous sample space, *see* sample space
 contraception use, 14, 78–80, 99, 134–136, 138–144
 control group, 355, 364, 397, 398, 403, 487, 573–576
 correlation coefficient, 513–533, 540, 541, 549, 551, 552
 correlation and simple linear regression, 540–544
 cumulative probability, 245

D

Daniel, Cuthbert, 551
 data analysis, 2, 3, 10–13, 84, 175, 275, 513, 522 (*see also* exploratory data analysis)
 data list, 28, 53
 data set, 2, 6, 13
 data value, 6
 death rate, 14, 46
 deciles, 48
 decision rule, 289
 degrees of freedom, 317, 336, 406, 413, 414
 dependent, 187 (*see also* associated)
 dependent events, 184–187
 dependent variable, 106
 descriptive statistic, 4, 48, 53, 72, 100, 114, 513, 524, 525, 551
 distribution, 43, 53
 dot chart, 102–106, 114
 dot plot, 31, 53, 114
 double-blind experiment, 279, 300, 355, 356, 397
 Draper, N. R., 551

E

economic category, 7–9, 98, 100–105, 134–138, 140–144
 equal-variance assumption, 358, 360, 361, 363, 365, 377, 384, 385, 402, 406, 408, 413, 422–424, 428, 433, 459, 460, 469, 494, 537, 544, 545, 549

errors, Type I and Type II, 290, 291
 estimation, 3, 277, 278, 533
 event, 178, 179
 expected value, 195, 196, 199 (*see also* mean)
 experiment, 177
 experimental design, 3, 4, 13, 176, 177, 231, 299–302, 355, 356, 372, 376, 377, 397, 398, 400, 418, 419, 429, 452–454, 473, 492, 529, 549
 (*see also* paired-sample comparison, two-sample comparisons, single-factor experiments, randomized block experiment, two-factor experiment, factorial experimental design, double-blind experiment)
 exploratory data analysis, 5, 12, 34 (*see also* data analysis)
 exploratory studies, 473
 extraneous factor, 300–302, 355, 356, 364, 376, 377, 419, 429, 452, 460, 469, 492, 529, 539, 549
 extremes, 49, 53, 81, 84

F

F approximation, 495
F distribution, 406, 407
 factorial experimental design, 452–454, 473
 fair coin, 180
 false negative, positive 190
 fertility rate, 14, 32–35, 46, 47, 100–104
 finite random variable, *see* random variable
 finite sample space, *see* sample space
 Fisher's exact test, 372, 572, 573, 586–593
 fixed effects, 453
 Forsythe, A. B., 495
 framed rectangles on a map, 144–147
 Freedman, David, 540–543
 frequency plot, 37–39, 53
 frequency table, 3, 36–43, 53
 multidimensional frequency table, 134–135, 147
 two-way frequency table, 97–100, 114, 134
 Friedman's test, 400, 428–433 (*see also* randomized block experiment)

G

Galton, Francis, 543
 Gaussian approximation, 250–260, 308–316, 328, 349–357, 367, 377, 533, 576, 586, 592, 593
 Gaussian distribution, 241–260, 358, 359–361, 377, 378, 402, 405, 408, 422–424, 433, 459, 460, 469, 484–494, 498, 525, 537, 544
 goodness-of-fit, 572–576, 592

graphs, effective, 146, 147
 gross domestic product, 14, 103–105
 gross national product, 14, 43, 107–114, 513–523

H

heterogeneous variances, 490
 higher education enrollment, 14, 44, 45, 255
 histogram, 3, 40–43, 53, 114
 Hoaglin, David C., 12
 homogeneity
 of variances, 490
 of distributions of a qualitative variable, 372, 572, 583–586, 593
 Hunter, J. Stuart, 231, 469, 473
 Hunter, William G., 231, 469, 473
 hypergeometric distribution, 214, 224–230, 232, 283, 284, 349, 369–372, 378, 586–593
 hypothesis testing, 3, 278, 289–292, 297, 301, 302, 312
 p-value approach, 291, 297
 significance level approach, 289, 294, 297

I

independence, 275
 chi-square test of independence, 572, 579–583, 592
 independent, 98, 187
 independent events, 184, 187, 188, 199, 401
 independent random variables, 256, 513, 525–533, 552, 579, 592
 independent tosses, 180
 independent variable, 106
 infant mortality rate, 14, 521–523
 influential observations, 551
 interaction effect, 432, 452, 455–460, 464–466, 468, 469, 473, 568
 interquartile range, 81, 84, 351
 interval estimate, 278 (*see also* confidence interval)

J

Johnson, Mark E., 490, 495
 Johnson, Myrle M., 490, 495
 Joiner, Brian L., 15

K

Kirk, Roger E., 432, 454, 473
 Kruskal-Wallis distribution, 413
 Kruskal-Wallis test, 400, 402, 411–418, 433

L

large-sample approximation, *see* chi-square approximation, Gaussian approximation

- large-sample procedures, 241, 260, 308–316, 328, 334, 336, 349–357, 367, 372, 377, 533, 574–576, 581, 584, 586, 592, 593 (*see also* chi-square approximation, Gaussian approximation)
- least squares, 513, 533–540, 544, 552
- Lehmann, E. L., 334, 368, 532
- level, *see* significance level
- Levene, H., 495
- Levene's modified test for variances, 494–498
- life expectancy, 14, 28–31, 49–51, 73–76, 81–83, 107–111, 136–138, 513, 514, 517, 518, 524, 525
- likely, likelihood, 175, 176 (*see also* probability)
- linear association, *see* correlation coefficient
- linear correlation coefficient, *see* correlation coefficient
- linear models, *see* regression
- list, 28, 53
- location, *see* central tendency
- location parameter, 308
- logarithm base-10, 109, 384, 385
- logarithmic transformation, *see* transformation
- M**
- map, 144–147
- matched-pairs, *see* paired-sample comparisons
- mean, 4, 5, 72–80, 84, 194–196, 199 (*see also* population mean)
- mean square (*see also* two-way analysis of variance)
- between-groups, 405, 406, 495
- block, 420, 421
- residual, 83, 405, 423–425, 433, 460–463, 533, 534, 536–539, 544, 548, 549
- treatment, 420, 421
- median, 48, 78, 80, 84, 370 (*see also* population median)
- median test, 349, 369–372, 378
- method of least squares, 513, 533–540, 544, 552 (*see also* regression)
- Minitab, 12, 13, 15–26, 53–59, 84–88, 114–119, 147–149, 232–234, 260–265, 337–342, 378–381, 433–440, 473–476, 498–501, 552–556, 593–595
- missing value, 11, 478
- mode, 46, 53
- Mosteller, Frederick, 12
- multicollinearity, 550, 551
- multidimensional frequency table, 134–135, 147
- multimodal, 47
- multiple comparisons, 402, 410, 411, 417, 493, 494
- multiple regression, *see* regression
- multiple regression coefficient, 548
- Myers, Raymond H., 551
- N**
- negatively skewed, 44, 79
- nonparametric, 277, 308, 314, 337, 349, 378, 400, 411, 428, 433, 513, 529–533, 552
- normal distribution, *see* Gaussian distribution
- not associated, 98, 187
- null hypothesis, 278, 289
- number of cities of over 500,000 people, 14, 36–39
- O**
- observed significance level, *see* p-value
- odds of an event, 183–184
- one-sample *t* test, 316–323
- one-sided alternative, 292, 365, 366
- one-way analysis of variance, 400, 402–411, 433, 492, 495
- operating characteristic curve, 229–231
- order 28, 53 (*see also* rank)
- ordinal qualitative variable, 10
- outcome, 177
- outlier, 354, 389, 520–523, 551
- P**
- paired-sample comparison, 349, 372–377, 400, 418, 433
- paired *t* test, 375
- parameter, 277
- parametric, 277, 308, 337, 378, 400, 403, 418–420, 433, 453, 458, 460, 473, 498, 513, 533, 552
- peak, 46, 53
- Pearson's correlation coefficient, *see* correlation coefficient
- percentiles, 48
- permutation, 214, 215, 232
- pie chart, 106
- Pisani, Robert, 540, 543
- placebo, *see* control group
- point estimate, 277
- pooled variance estimate, 359, 404, 492 (*see also* residual mean square)
- population, 3, 12, 13, 276
- population growth, 14, 52, 53, 83, 84
- population mean
- inferences about several, *see* Friedman's test, Kruskal-Wallis test, one-way analysis of variance, randomized block experiment, two-way analysis of variance
- inferences about a single mean, 309–314, 316–330, 336, 337
- inferences about two means, 350–354, 357–369, 372–377
- population median
- inferences about two medians based on a hypergeometric distribution, 369–372, 378 (*see also* population mean)
- inferences based on a binomial distribution, 331–337 (*see also* population mean)
- population size, 15, 76–78, 103–105
- population standard deviation, 82 (*see also* standard deviation)
- positively skewed, 44, 78, 79, 406
- power, 290, 297–299, 302, 328, 334, 336, 337, 378
- practical significance, 296, 297, 354, 427
- precision, 427
- primary school enrollment, 15, 39–44, 111–113, 517–522
- female enrollment, 97–100, 134–136, 138–144
- probability, 176–198
- conditional, 184–191, 198, 199, 573, 587–589, 591–593
- distribution, 194, 214, 232, 275
- function, 179–182, 198, 244, 251, 252, 318, 359
- model, 180–183, 199, 302, 370
- statements, 3, 13, 175, 243, 275, 299
- product development, 473
- profile, 455, 456, 464, 465, 468, 568
- proportion,
- large-sample inferences about a single proportion, 308, 314–316, 334, 336, 337, 576, 592
- large-sample inferences about two proportions, 349, 354–357, 377, 585, 586, 593
- small-sample inferences about a single proportion, 572, 576–578, 592
- protocol, 455
- Purves, Roger, 540–543
- p-value, 281, 284, 288, 291, 295, 296, 302
- Q**
- quadratic relationship, 524, 570
- qualitative variable, 6, 7, 10, 572–593
- quality control, 228–232, 324, 427, 473, 484
- quantiles, 48–53, 72
- quantitative variable, 6
- quartiles, 48–53, 81
- R**
- R^2 , 540
- random assignment, 355, 364, 365, 377, 418, 453, 591
- random effects, 453, 454
- random sample, 284, 300

- random sample (*continued*)
 in the experimental sense, 277
 in the probability sense, 256, 276
 random selection, 177 (*see also* random sample)
 random variable, 191–199, 244, 256
 continuous random variable 192–194
 finite random variable, 191–194
 randomized block experiment, 400, 418–433, 453, 454
 range, 4, 81, 84
 range frame, 106, 107, 114
 rank, 28, 53, 308, 323–330, 349, 363, 365–367, 377, 378, 513
 rank correlation coefficient, 513, 529–533, 552
 Rawlings, John O., 551
 regression, 241, 533–540, 544–551, 552
 toward the mean, 513, 543
 rejection region, 289, 294
 replication, 432, 453
 representative sample, 3, 277, 300, 301
 residual, 83, 405, 423–425, 433, 460–463, 533, 534, 536–539, 544, 548, 549
 residual mean square, 405, 406, 420, 421, 423, 457, 492, 495, 537
 residual plots, 424, 425, 433, 461–463, 469–472, 538, 539, 549, 550, 551
 Rice, John A., 318, 401
 robust, 321, 361, 408, 424, 494–498
 round-off error, 466, 516
 Ryan, Barbara F., 15
 Ryan, Thomas A., Jr., 15
- S**
- sample, 3, 12, 13, 276
 representative, 3, 277, 300, 301
 sample mean or average, 72 (*see also* mean)
 sample standard deviation, 82 (*see also* standard deviation)
 sample size, 297, 302, 308
 sample space, 177–179, 198, 199
 continuous sample space, 177–179
 finite sample space, 177–178
 sampling and decision rule, 229–231
 scattergram, *see* scatterplot
 scatterplot, 106–114, 135–138, 147
 scatterplot matrix, 138–144, 147, 549, 551
 Schaefer, Robert L., 15
 Schilling, Edward G., 231
 sensitivity, 189
 sign test, 331–337
 significance level, 280, 286, 289, 290, 294, 295, 302, 401
 simple linear regression, *see* regression
 single-factor experiments, 400–418, 433, 452, 453
- skew
 to the left, 44, 79
 to the right, 44, 78, 79, 406
 skewness, 53 (*see also* skew)
 Smith, H., 551
 sort, 28 (*see also* rank)
 Spearman's distribution, 532
 Spearman's rank correlation coefficient, 513, 529–533, 552
 specificity, 189
 spread, *see* variation
 standard deviation, 81–84, 194–197, 199
 standard deviation (SD) line, 540–544, 552
 standard error, 259, 285, 351, 359
 standard Gaussian distribution, 241–248, 257–260, 308–318, 328, 336, 337, 349–352, 355, 356, 367, 377, 378, 533, 576, 586, 592, 593
 standardized data value, 254, 255, 515
 standardized random variable, 248, 516
 Stata, 466, 472
 statistic, 2
 statistical inference, 2, 3, 12, 13, 175–177, 191, 199, 241, 275–277, 299, 349
 statistical process control, 232
 statistical significance, 296, 354, 427 (*see also* practical significance, borderline significance)
 statistical software package, 12, 13 (*see also* Minitab, Stata)
 statistics, 2
 stem-and-leaf plot, 31–36, 53
 straight line, *see* regression
 survey, opinion, 579–583
 symmetric, symmetry, 43, 53, 80
- T**
- t* distribution, 308, 316–323, 336, 349, 357–363, 410, 411
t test, 241, 308, 336, 494
 one-sample *t* test, 316–323
 paired *t* test, 375
 two-sample *t* test, 241, 349, 357–363, 377, 378, 402, 408
 tail probability, 245
 tolerance range, 324, 487
 test statistic, 289, 290, 294, 295
 total fertility rate, *see* fertility rate
 total gross domestic product, 14, 103–105
 transformation, 109–111, 114, 384, 385, 477, 480, 481, 495, 504–506, 508, 509, 566, 567
 treatment mean square, 420, 421
 trimmed mean, 76–78, 84
 Tufte, Edward R., 106, 146, 147
 Tukey, John W., 12, 34, 49, 51, 405
- two-factor experiment, 452–473, 568
 with each factor at two levels, 466–473
 two-sample comparisons, 349–372, 376, 377, 400, 433 (*see also* median test, *t* test, Wilcoxon-Mann-Whitney test)
 two-sample *t* test, *see t* test
 two-sided alternative, 292, 355
 two-way analysis of variance, 432, 454–473
 two-way frequency table, 97–100, 114, 134
 Type I and Type II errors, 290, 291
- U**
- unassociated, 98, 187
 unbalanced design, 478
 unimodal, 46
 unit of measurement, 10
- V**
- variable, 6
 ordinal qualitative, 10
 qualitative, 6, 7, 10, 572–593
 quantitative, 6
 random, 191–199, 244, 256
 variance, 194–197, 199
 parametric inferences about more than two variances, 490–494
 parametric inferences about a single variance, 484–487
 parametric inferences about two variances, 487–490
 robust inferences about two or more variances, 494–498
 variance ratio distribution, 406, 407
 variance ratio test, 487
 variance-stabilizing transformation, 385
 variation, 4, 5, 49, 53, 80–84, 484–498
 Velleman, Paul F., 12
- W**
- weighted mean, 74–76, 84
 Wilcoxon-Mann-Whitney distribution, 349, 417
 Wilcoxon-Mann-Whitney test, 363–369, 378, 402
 Wilcoxon signed rank distribution, 308, 323–330, 337
 Wilcoxon signed rank test, 324–328, 335–337
 within-groups mean square, *see* residual mean square
 Wood, Fred S., 551
 World Bank, 5–15, 28–53, 72–84, 97–114, 134–146, 175, 255, 513, 522, 525

Source Index to Referenced Examples and Exercises

A

- Allman; Kahneman and Tversky; risk assessment in situations involving uncertainty 197–198
 American Council on Education: bachelor's degrees by race/ethnic group and sex 127, 128
 American Council on Education: degrees awarded by type, sex, and year 162
 American Council on Education: high school completion and college entrance by sex and race/ethnic group 162
 American Council on Education: minority enrollment, teachers and new hires for several states with high minority enrollments 152, 153
 American Council on Education: numbers of doctoral degrees by race/ethnic group 59

B

- Beck, Felser, and Glickman: rabies and animal species, for three years 164, 165
 Berger, Boos, and Guess; Yu, et al: lifetimes of rats on two diets 386
 Berry: pre- and post-treatment measurements of premature ventricular contractions 389
 Berry: premature ventricular contractions in 12 volunteers on each of three drugs 449
 Berry: resistance with five types of electrodes on arms of volunteers 447
 Berry and Berry: field-goal ratio and point-after-touchdown ratio for NFL kickers 122
 Blackshaw and Diggle; Andrews and Herzberg: studies of earth-worm populations 445, 496
 Bonney; Fienberg; Sewell and Shah: college plans and parental encouragement in male and female high school seniors 599
 Bonney; Morrison, et al: appearance of tumor and survival in breast cancer patients 600
Boston Globe: one day's odds and point line for three Boston sports teams 203
Boston Globe: yearly costs per Red Sox minor league player 120

- Boston Sunday Globe*: district scores in reading, mathematics and science for third graders in 27 Massachusetts communities 172
Boston Sunday Globe: percentage of dwelling units with lead paint in 23 towns 70
 Box, Hunter, and Hunter; Drew: bacteria in bath water, two-factor experiments 480
 Box, Hunter, and Hunter; Elliott, Navarro, and Nomof: change in pupil diameter after morphine and nalbuphine 388, 503
 Box, Hunter, and Hunter; McInneath and Cohen: specific airway resistance for two methods of administering a bronchodilating aerosol 385, 386, 504
 Box, Hunter, and Hunter: productivity of technicians on different machines 482
 Box, Hunter, and Hunter; U.S. Patent 3,505,079: comparison of two cake mixes 342
 Box, Hunter, and Hunter: yield using four methods of manufacturing penicillin 446
 Breslow; *J. Nat. Cancer Inst.*: survival of control mice and mice exposed to urethane and several doses of DDT 150
 Brogan and Kutner; *Annals of Surgery*: before and after surgery maximal urea synthesis in cirrhotic patients undergoing two different operations 387
 Brown; Varma and Chilton; Zinner, Duany and Chilton: crossover dental study 606
 Buechner, et al: self-reported cigarette smoking in physicians by speciality and year 166

C

- Carroll; Andrews and Herzberg: preferences for two products 395, 396
 Carroll, Sacks and Spiegelman: instrument response for copper in spectroscopy 507, 565
 Carter and Blight: length of fertile period in a sample of women 70
 Carter; Lane: sucrase activity determined two ways 609
 Cederlund, Camner, and Svartengren: studies of nasal clearance times 393, 394

Chance; Weiss, et al; Barnes: information on testing for AIDS 189–191
 Cheng; Cooper: stress loads at fracture for graphite beams 61, 62
 Chinchilli, Schwab and Sen; Barr: study of four formulations of the drug verapamil 617–618
 Cloninger: men classified by genetics, environment, and two types of alcoholism 163, 164
 Cosgrove: radiocarbon dates and depth of samples for two archeological digs 153, 154
 Cramer, et al: information on tubal infertility and method of contraception 314, 573
 Crouchley and Pickles: sex of children by birth order in families of 2–5 children 618–619

D

DeHaven and Lintner: sports injuries classified by sex and site of injury 129, 130
 Deom, Oliver, and Beachy: genetic study of tobacco mosaic virus 596
 Devore: *Amer. J. Clinical Nutr.*; two methods of measuring breast milk intake 526
 Devore; *Amer. J. Nutrition*: alanine levels in baby boys on isoleucine-free diet 94
 Devore; *ASCE Transportation Eng. J.*; distances from cyclists to center line and cars 534
 Devore; *British J. Preventive and Social Medicine*: time of onset of labor in pregnant women 597
 Devore; *Environ. Research*: pulmonary compliance in workers exposed to asbestos 93
 Devore; *Environmental Science and Technology*: carbon monoxide and benzo(a)pyrene measurements in New York City 124, 557
 Devore; *Heredity*: genetic study of the cereal crop sorghum 597
 Devore; *Home Econ. Research J.*: smoothness of nine fabric types dried five ways 444, 445
 Devore; *J. Applied Physiology*: nitrogen expired by people on four diets 441
 Devore; *J. Environmental Health*: bacteria in carpeted and uncarpeted hospital rooms 124
 Devore; *J. Environmental Health*: radiation levels in television display areas 94
 Devore; *J. Illuminating Eng.*: task performance at two light levels 560
 Devore; *Psychosomatic Med*: skin potential in volunteers for four emotions 442
 Devore; *Science*: leaf protein in six soybean plants 93
 Devore; *Technometrics*: rainfall from seeded clouds 64
 Devore; *Textile Research*: thickness and stiffness of fabric samples 530
 Devore; *Trans. Royal Canadian Institute*: genetic study of tomatoes 596, 597
 Dhindsa; Metcalfe, and Hummels; Hohimer, et al: exercise and birth weights in goats 316, 323, 502
 Dick, et al: study of modes of transmission of common cold viruses 590
 Dienstfrey: exposure to combat among women veterans 200
 Dietz; McEntee and Mair: HVA, IQ, MQ for patients with Korsakoff's psychosis 158

Draper and Smith: steam use and average temperature at a factory 560, 561
 Duncan; Bendix Aviation Corporation: defects in pieces of wool cloth 67
 Duncan; Gore: strength of polymer sheet castings, two-factor experiments 467, 479, 510
 Duncan; Grant and Leavenworth: drained weights of tomatoes 345, 357, 484
 Duncan; Kauffman: percentages of fuel tanks with leaks 65, 66
 Duncan: shear strengths of welds 65
 Duncan: shear strengths of welds of stainless steel 63, 64
 Duncan; U.S. Department of Agriculture: strength of yarn samples 62
 Duncan; Wernimont: melting point determinations 383, 418, 505
 Dunnett: tumor growth in treated and control mice 364

E

Efron and Tibshirani: average LSAT and undergraduate grades for 15 law schools 123
 Ellenberg; Mickey, Dunn, and Clark: two characteristics of children with heart disease 611
 Elliot; Byar; Andrews and Herzberg: calcium concentrations in men with and without calcium oxalate crystals 395

F

Farquhar and associates; Hollander and Proschan: obesity and blood pressure in Mexican-American men and women 157
 Feldmann, et al: study of T-DNA insertion mutagenesis in plants 596
 Foster: height of tomato plants receiving water at three levels of pH 449
 Freedman, Pisani and Purves; Francis: polio field trials 397, 398

G

Gallant; Gallant and Fuller; Eppright et al: age and weight/height of preschool boys 614
 Gallant; Hsiung: study of specific volume in polymers 613
 Gart and Tarone; Gart: skin tumors and survival of mice in a tobacco study 600, 601
 Gasper; ICI Resins US, ICI Americas, Inc.: optical density of polymer latex, two-factor experiment 477, 509
 Gastwirth: probabilities in use of the lie detector or polygraph test 205
 Geertsema and Reinecke: tyrosine measurements in mentally handicapped patients 267, 268, 608–609
 Gould: arthritis patient response, two treatments 611–612
 Granatek, et al: antibody response and survival in leukemia patients 598
 Grant: malnutrition, access to water, polio inoculation, low birth weight, and percentage of mothers breastfeeding for 29 countries 167
 Grant: percentage of mothers breastfeeding for 29 countries 270
 Grant: United Nations rankings of 40 countries by under-5 child mortality, plus life expectancy, percent of newborns with low birth weights, and calorie supply 15–26, 53–59, 172, 173
 Grayson; Goldberg, et al: study of minor psychiatric disorders in patients 600

Gross and Lam; Gross and Clark: headache relief, two treatments 611

H

Haberman: survey results for men of different education levels 617
 Hatton and Clarke-Hundley: deaths in Western Australia, by sex and cause of death 132
 Hatton and Clarke-Hundley: numbers of cancers in Western Australia by site and sex 69
 Haugh, et al: cigarette smoking among Vermont 4th and 5th graders 199
 Higgs and Koch: survey of byssinosis complaints in cotton textile workers 387
 Hocking: volume rise of dough made from three flour types 442
 Hoffman, et al: study of antibodies associated with malaria 391
 Hojnacki: plasma estrogen levels in alcohol-consuming and control monkeys 383, 384, 487
 Hojnacki: plasma testosterone levels in alcohol-consuming and control monkeys 384, 504, 505
 Hollander and Proschan; Karelitz, et al: cry count and IQ score for girls and boys 156
 Hollander and Proschan; Proschan: times to failure for air-conditioning equipment 92
 Hollander and Wolfe; Cole and Katz: oxidant content of dew water samples 92
 Hollander and Wolfe; Cooper, et al: hypnotic susceptibility before and after training 390, 391
 Hollander and Wolfe; Fox and Randall: forearm tremor frequency with wrist weights 152
 Hollander and Wolfe; Jung and Parekh: comparison of two methods of determining serum iron concentration 388
 Hollander and Wolfe; Jung and Parekh: 20 serum iron determinations of control sera 344, 503
 Hollander and Wolfe; Hundal: performance in repetitive work with differing feedback 448
 Hollander and Wolfe; Shelp, et al: insulin clearance in kidney donors and recipients 559
 Hollander and Wolfe; Siddiqui and Gehan: survival times for leukemia patients 63
 Hollander and Wolfe; Thomas and Simmons: sputum histamine levels in allergic and nonallergic smokers 385, 504
 Hollander and Wolfe; Woodward: comparison of three methods of rounding first base 443
 Hsieh; Bain: times to failure for tires from three production methods 121, 122
 Hui and Rosenberg; Barash, et al: comparison of cardiovascular performance in children before and under two anesthetics 391, 392

Ingebritsen, Sherrod and Mariner: discharge temperature and element concentrations for eight hot springs 154
 Ismail, et al: schistosomiasis infection by type, occupation, age, and sex in Egypt village 165, 166

J

James and Conyers: accumulation of pyruvate over time in rats 614

James and Knuiman: average shower flow rate, domestic water use in Perth 60
 James and Knuiman: average toilet flush volumes, domestic water use in Perth 60
 Jensen; Andrews and Herzberg; Andersen, Jensen, and Schou: plasma citrate concentrations before breakfast in 10 volunteers 342, 503
 Johnson; Li: cross-sections of cakes, different recipes and baking temperatures 605
 Jones; Hill and Padmanabhan; Bishop: body weight and kidney weight in normal and diabetic mice 151

K

Kanki, et al: presence of HIV (AIDS virus) in three risk groups in African countries 161
 Kauffman; Duncan; Hollander and Proschan: heights of bomb bases 324, 502
 Knuiman and Speed: duration of diabetes and presence of retinopathy 121
 Knuiman and Speed: obesity and hypertension 599
 Koch, et al: age and response of arthritis patients, two treatments 620-621
 Kolata: comparison of penicillin and placebo in sickle cell disease 601

L

Lee and Krutchkoff: mercury concentration in 115 swordfish 266
 Leung and Kupper; Walter: serum cholesterol and subsequent heart disease 612
 Loynd: self- versus rival-competition in base-running 373

M

Macoul: yield comparison for microwaved and unmicrowaved oranges 369, 370
 Mahan; Andrews and Herzberg; O'Sullivan and Mahan: fasting blood sugar levels in 52 pregnant women 343
 Marty, McDermott, and Williams: smokeless tobacco use by Arkansas high school students 130
 Mather and Roitberg: study of protective markings of snow-berry fly 128
 McMahan: serum total cholesterol in 23 baboons 266, 267
 Mehta, Patel, and Tsiatis: change in arthritis patient condition, two treatments 610
 Meier; Francis, et al: results of polio field trials 356
 Meier; Lanman, et al: survival and blindness in premature babies, two oxygen levels 612-613
 Mendenhall and Sincich; Wang: pressure, angle, and recovery in crude oil extraction 568
 Mendenhall and Sincich; Woelfl, et al: permeability of formulations of concrete 506, 569
 Millar and Stephens: comparison of body weights in Britain, Canada, and U.S. 583-586, 602
 Milton and Arnold; *Civil Engineering*: errors made with hand-held laser range finder 66
 Milton and Arnold; *Design News*: times to reprogram a byte of memory on a chip 93
 Milton and Arnold; Emerson: readability of published and unpublished reports 124

- Milton and Arnold; *Energy and Technology Review*: life of aluminum air batteries 66, 67
- Milton and Arnold; Hegland: errors made by a robot in applying adhesive 92
- Milton and Arnold; Kiss: results from x-ray microanalysis for potassium in samples 66
- Milton and Arnold; *NASA Tech Briefs*: wind speed from ground and satellite 559
- Milton and Arnold; Roberts: sulfur dioxide concentrations in a damaged forest 65
- Milton and Arnold; Waltman: light intensity of highway signs 64
- Moran; Andrews and Herzberg; Collman and Stoller: age of mother and Down's syndrome in babies 131
- Myers; Burkhart, et al: characteristics of stands of pine trees 542, 545
- Myers; Navy Manpower and Material Analysis Center: items processed and man-hours spent at 22 naval installations 562

N

- Nair; Nelson: survival times of insulating fluid at two voltage levels 616
- Nasci, Harris and Porter: mosquitos captured by electrocuting device and human bait 161, 381, 382
- Nasci, Harris and Porter: mosquitos counts for yards with three different devices 440
- National Weather Service *Operations Manual*; Bocchieri; Seitter: probability in weather forecasts 176
- Nelson: lifetimes of electric cords in accelerated life testing 331
- Nelson: lifetimes of electric motor insulation at different temperatures 506, 565
- Nelson: temperature rise in spools (for electric motors) made from two types of plastic 350
- Nelson: two measurements of temperature rise on each of 12 plastic spools for motors 123, 561
- Nordheim, Tsiatis, and Shapas: response of male beetles to different doses of airborne sex pheromone 131, 132, 598, 599

O

- O'Brien and Fleming; Woolson and Lachenbruch; Batchelor and Hackett: survival times of closely and poorly matched skin grafts for 11 burn patients 390
- Oja and Nyblom; Johnson and Wichern: sodium, potassium in perspiration of women 125, 557
- Olsen: results of a coin-toss experiment by 50 college students 272
- Owen and DeRouen: chlorine determinations at an industrial site 610-611

P

- Partridge, Johnston, and Edwards: recovery milestones over time for stroke patients 159
- Patarroyo, et al: stimulation index for men in four treatment groups in malaria study 441, 508
- Percy; Andrews and Herzberg: study of serum markers for muscular dystrophy 345
- Piegorsch, Weinberg and Margolin; Basham, et al: study of synergism of interferon and monoclonal antibody for survival in mice with lymphoma 150, 151

- Pitetti, et al: effects of exercise on individuals with amputation of a lower limb 622-623
- Pollock, Winterstein, and Conroy: characteristics of black ducks, two age groups 154, 155
- Porter and Moore: tests of ability to recognize family members with sense of smell 346, 347
- Prentice; Bliss: survival of beetles at different doses of gaseous carbon disulphide 607

Q

- Quade; Cartwright, Lindahl, and Bawden: characteristics of girls on different dental treatments 621-622
- Quesenberry, Whitaker, and Dickens; Walkling, Bleffert, and Kiernan: aflatoxin levels in peanuts 267, 396, 607

R

- Ramsay; *Consumer Reports*: engine displacement, gas usage, weight for small cars 153
- Ratkowsky; Andrews and Herzberg; Ratkowsky and Martin: apple yield with several nitrogen supplements, plus control group 403
- Rice; Perry, Van Dyke, and Theye: plasma epinephrine concentrations in dogs on each of three anesthetics 429
- Rice; Box, Hunter, and Hunter; Box and Cox: survival in a poison/treatment study 481
- Rice; Brownlee: car velocity and stopping distance 566
- Rice; Campbell, and Pelletier: niacin determinations, two-factor experiments 454, 478
- Rice; Natrella: lifetimes of three types of stopwatch 443, 507
- Rice: retention of iron in mice; two-factor experiment 479, 508
- Rice; Ryan, Joiner, and Ryan: stream depths and flow rates 567
- Rice: study of aggressive behavior in three species of mice 446, 447
- Rice; Weindling: height, weight, catheter length in children undergoing heart surgery 563, 564
- Rosenstock, Stergachis and Heaney: opinion survey regarding a smoking ban 579
- Ryan, Joiner, and Ryan: lengths of stay for voluntarily committed psychiatric patients 69
- Ryan, Joiner, and Ryan: number of full-time employees in a sample of restaurants 68

S

- Scheirer, Ray, and Hare; Hahn, Haber, and Fuller: aggressive behavior of mice with different brain weights, two environments 609-610
- Schmoyer; Garofalo, et al: rupture times of steel at different stress levels 490, 502, 566, 567
- Science*: HTLV-1 antibodies in people with and without tropical spastic paraparesis 128
- Science*: science career interest in academically prepared high school males and females 129
- Science*: susceptibility of adults and children to malaria infection 163
- Science News*: antibody response to possible vaccine for AIDS 622
- Science News*: lifetimes of livers treated with an experimental solution 344

- Science News*: multicenter comparison of treatments for cardiac arrhythmia 382, 598
- Science News*: relationship between coronary artery disease and depression 344, 601
- Science News*: relationship between a heart defect and the bends in scuba divers 343, 602
- Science News*: study of chronic fatigue syndrome and Epstein-Barr virus 601–602
- Science News*: study of growth hormone gene transfer between types of fish 347
- Science News*: study of nitrous oxide and infertility 602
- Science News*: study of relationship between abnormal liver function and obesity 129
- Science News*: study of treatment for ulcerative colitis 347
- Science News*: test of an antibody as possible early warning of diabetes 127
- Shapiro; Brain, and Shapiro: lifetimes of 35 motors 343
- Shaughnessy: distances hit for two types of bat and two brands of softball 94, 95, 476, 509, 510
- Short and Wasserman: probabilities relating to Joe DiMaggio's batting career 211
- Snee; Ott and Snee: fill weights of bottles, six positions and five times 619
- Snow: comparison of two ammunitions in target shooting 382, 383, 505
- Statistical Science*; Haseman and Huff: carcinogenicity studies in rats and mice 127

T

- Tanner and Wong; Haberman: answers to survey questions on abortion 162, 163
- Tarone and Gart: tolazamide carcinogenicity study in mice and rats 615
- The Sporting News*; *USA Today*; Lee Panas: hits allowed in 1987 by major-league baseball teams 250
- Tursz and Crost: sports injuries in French children by sex, age, and type of injury 164

U

- Urquhart: weights of cattle on different diets 620
- U.S. Commission on Civil Rights; Fienberg; Andrews and Herzberg: information on racial composition, fires and thefts, age of housing, and homeowners insurance availability by Chicago zip code area 169-171
- USA Today*; Alan Guttmacher Institute: pregnancy rates for 15-19 year-olds by state 63
- USA Today*; average drive and 1986 earnings for 19 top male golfers 269
- USA Today*; baseball statistics for 26 major-league teams, 1987 season 168, 169
- USA Today*; cost of 46 selective U.S. universities 68

- USA Today*; Council of State Governments: base pay of state governors 67
- USA Today*; National Climatic Data Center: record cold temperatures by state 61

V

- Van Ryzin and Rai; Carlborg: bladder tumors in rats fed different doses of saccharin 120, 121

W

- Wallach and Goffinet; Young and Corbett: weight and energy requirements in sheep 158, 159
- Walpole and Myers: body and heart weights in woodchucks 558
- Walpole and Myers: comparison of two methods of catching grasshoppers 557, 558
- Walpole and Myers: physical characteristics and ability in American football punters 562, 563
- Walsh: exercise bicycle experiment 282, 283
- Weinberg and Gladen; Baird and Wilcox: cycles to pregnancy for smokers and nonsmokers 126
- Wickelgren: diagnostic test for AIDS in newborns 616
- Wilmore: age, height, weight, maximal oxygen capacity for male world-class runners 160
- Wilmore: maximal oxygen uptake for female world-class athletes in four sports 125, 126
- Wilmore: maximal oxygen uptake for male and female athletes in four sports 160
- Wilmore: maximal oxygen uptake for male world-class athletes in five sports 125
- Wilmore: maximal oxygen uptake for women athletes in three sports 412
- Witkin, et al: study of sex chromosome genotypes and criminal behavior in Danish men 577, 587
- World Bank: contraception use for 28 low-income countries 91
- World Bank: indicators of social and economic development for 128 countries 5–15, 29–53, 72–84, 97–114, 134–146, 514
- World Bank: population and life expectancy for 19 industrial market countries 89
- World Bank: population and life expectancy for 35 low-income nations 90

Y

- Yamamoto, et al: domestic cats classified by sex and presence of feline immunodeficiency virus 129

Z

- Zerbe: plasma inorganic phosphate levels in obese and control patients 267, 615–616